



Beech Duchess 76



Approved for Lycoming (L)(I)O-360-() and other TC/STC approved piston engines which do not exceed the propeller TCDSs

In-stock and available for immediate shipment!

STC # SA03479NY Kit Contents:

Two 3-blade full feathering, counter-weighted, hydraulically actuated constant speed propeller	MTV-12-B-C-F/CF(L)183-59b
Two full composite spinner	(AFRP) P-285-20
Airplane flight manual supplement	Doc. No. E-2325
Installation instructions	Doc. No. E-2326
Instructions for continued airworthiness	Doc. No. E-2327
Operation and installation manual	ATA 61-01-24 (E-124)

Propeller Specifications:


Full propeller designation	MTV-12-B-C-F/CF(L)183-59b
Propeller hub	MTV-12-B-C-F Hub milled from single-piece aluminum billet
Blades	CF(L)183-59b Light-weight composite construction
Installed propeller & spinner w/ de-ice weight	571 lbs each (25.9 kg)
Diameter	72 in. (183 cm)
TBO	According to SB 1 () latest issue

Replaces 2-blade Hartzell propeller



Vibration Comparison

Deflection with the same stimulation, but different prop material



Call our MT Prop Specialists!

(866) 717-1117

or go to Flight-Resource.com/Proposal-Request-Form/

*Buy an MT Prop and get a
McFarlane Family discount
for 12 months*

