McFarlane Aviation, Inc. 696 E 1700 RD Baldwin City, KS 66006



McFarlane Aviation Products

785-594-2741 785-594-3922 Fax www.mcfarlaneaviation.com sales@mcfarlaneaviation.com

NOTICE

On February 28, 2000, KINZIE INDUSTRIES, INC. and PLANE PLASTICS, LTD became two separate entities. Correspondingly, the Federal Aviation Administration reissued Kinzie Parts Manufacturer Approval (PMA) Supplements to Kinzie Industries, Inc., and Plane Plastics, Ltd. per FAA letter dated March 29, 2000. Please note that the FAA letter contains a table that now assigns the applicable former Kinzie Supplement numbers to either Plane Plastics or Kinzie.

Attached to this notice is the applicable FAA recognized and approved PMA supplement for Plane Plastics, Ltd.

FAA-PMA Manufacturer of Quality Aircraft Parts at Realistic Prices



U.S. Department of Transportation Federal Aviation

Administration

Southwest Region Arkansas, Louisiana, New Mexico, Oklahoma, Texas

PQ939SW

Manufacturing Inspection District Office, #41 FAA Building Room 206 Wiley Post Airport Bethany, OK 73008

MAR 2 9 2000

Mr. Paul Kinzie Plane Plastics Ltd. 129 East Flynn Post Office Box 199 Alva, OK 73717

Dear Mr. Kinzie:

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURER APPROVAL

This is a reply to your letter of February 2, 2000, notifying the Federal Aviation Administration (FAA) of splitting your companies into two divisions. The following are Plane Plastics Ltd. Parts Manufacturing Approvals (PMA).

In accordance with the provisions of 14 CFR part 21, (part 21), Subpart K, the FAA has found that the design data, as submitted by Plane Plastics Ltd., hereinafter referred to as "the Manufacturer" on February 28, 2000, meets the airworthiness requirements of the Federal Aviation Regulations applicable to the product(s) on which the part(s) is to be installed. Additionally, the FAA has determined that the manufacturer has established the fabrication inspection system required by part 21 § 21.303(h) at 129 East Flynn, P.O. Box 199, Alva, OK. Accordingly, Parts Manufacturer Approval (PMA) is hereby granted to the manufacturer to produce the replacement/modification parts, as applicable listed in the enclosed supplement(s) in conformity with the FAA-approved design data. Any subsequent changes to their design data must be approved in a manner acceptable to the FAA.

The following terms and conditions are applicable to this approval:

1. The manufacturer's fabrication inspection systems, methods, procedures, and manufacturing facilities, including suppliers, are subject to FAA surveillance and investigation. Accordingly, the manufacturer must advise their suppliers that their facilities are also subject to FAA surveillance and investigation.

2. The manufacturer must notify our district office located at FAA Building, Room 206, Wiley Post Airport, Bethany, Oklahoma 73008, telephone number (405) 798-2052, in writing within 10 days from the date the manufacturing facilities at which parts are manufactured are relocated or expanded to include additional facilities at other locations. This requirement also applies to the manufacturer's suppliers, but only those who have been delegated major inspection authorization and those who furnish parts or related services where a determination as to safety and conformance to the approved design cannot or will not be made upon receipt at the approved receiving facility.

3. The manufacturer must make available to the FAA, upon request, a list of suppliers and any pertinent information concerning their suppliers who furnish parts/services, including:

a. A description of the part or service;

b. Where and by whom the part or service will undergo inspection;

c. Any delegation of inspection duties;

d. Any delegation of materials review authority;

e. Name and title of the FAA contact at the supplier facility;

f. The inspection procedures required to be implemented;

g. Any direct shipment authority;

h. Results of the manufacturer's evaluation, audit, and/or surveillance of their suppliers;

i. The purchase/work order number (or equivalent);

j. Any feedback relative to service difficulties originating at the manufacturer's suppliers.

4. Parts, appliances, or manufacturing services furnished by any suppliers located in a foreign country may not be used in the production of any part or appliance listed in the supplement unless:

a. That part or service can and will be completely inspected for conformity at the manufacturer's U.S. facility; or

b. The FAA has determined that the location of the foreign supplier facility places no undue burden on the FAA in administering applicable airworthiness requirements. When the use of such foreign suppliers are contemplated, the manufacturer must advise the FAA at least 10 days in advance to allow the FAA to make this determination: or

c. The parts/services furnished by the foreign supplier are produced under the "components" provisions of U.S. bilateral airworthiness agreements, and approved for import to the U.S. in accordance with part 21 § 21.502.

5. Parts produced under the terms of the this approval must be permanently marked with the identification information as required by 14 CFR part 45 (part 45) § 45.15; i.e., with the letters "FAA-PMA", the name, trademark, or symbol of the company, the part number, and the name and model designation of each type certificated product on which the part is eligible for installation. Alternate means of identification, if the part is too small or if it is otherwise impractical to mark, must be approved by the FAA. In the case of a part based on an STC, the identification of installation eligible type certificated products must include reference to the STC on the shipping document. If a PMA is granted for an

assembly, detail parts of the assembly sold separately must also be marked in accordance with the requirements of part 45 § 45.15 and reference the assembly PMA part number on the shipping document.

6. This approval is not transferable and may be withdrawn for any reason which would preclude its issuance, or at any time that the FAA finds that the fabrication inspection system is not being maintained, or if unsafe or nonconforming parts are accepted under the fabrication inspection system.

7. Our district office must be notified within 10 days from the date that the address shown in the approval has been changed.

8. The manufacturer must maintain their fabrication inspection system in continuous compliance with the requirements of part 21 § 21.303(h), and ensure that each part conforms with the approved design data and is safe for installation on type-certificated products.

9. The manufacturer is eligible for the appointment of qualified individuals in their employ to represent the FAA as Designated Manufacturing Inspection Representatives (DMIRs) or Organization Designated Airworthiness Representative (ODAR) for the purpose of issuing Export Airworthiness Approvals for Class II and Class III products.

10. The manufacturer shall report to our district office in a timely manner, information concerning service difficulties on any part produced under this approval, in addition to any failures, malfunctions, and defects required to be reported in accordance with part 21 § 21.3.

11: All technical data required by part 21 § 21.303(c) (3), for the parts to be produced under this approval, must be readily available to the FAA at the facility at which the parts are being produced.

12. The manufacturer shall notify our district office immediately in writing of any changes to the Fabrication Inspection System that may affect the inspection, conformity, or airworthiness of the parts approved in this letter.

13. This condition should only be prescribed when the applicant has voluntarily submitted inspection system data/procedures as evidence of compliance with part 21 § 21.303(h). The manufacturer shall produce all parts in accordance with Plane Plastics Ltd., Quality Control Manual, Revision N/A, 2/1/00, which has been presented as evidence of compliance with Part 21 § 21.303(h). Accordingly, any revisions to these data must be submitted for approval by this office prior to implementation.

Sincerely,

arella freemon

Darrell A. Freeman Manager, Manufacturing Inspection District Office

Enclosures Parts Manufacturer Approval Listing Supplement Numbers: (1 through 68)

KINZIE INDUSTRIES, INC. & PLANE PLASTICS, LTD. SUPPLEMENTS

WAS	PP NEW #'s	KI NEW #'s	50 Plastic	32	1
1 Helicopter		1	51 Plastic	33	
2 Helicopter	1	· · · · · · · · · · · · · · · · · · ·	52 Helicopter		26
3 Helicopter/Plastic	2		53 Helicopter		27
4 Helicopter		2	54 Helicopter		28
5 Helicopter		3	55 Plastic	34	
6 Plastic	3		56 Plastic	35	
7 Plastic	4		57 Plastic	36	-
8 Plastic	5		58 Helicopter		29
9 Helicopter		4	59 Helicopter		30
10 Helicopter		5	60 Helicopter		31
11 Helicopter		6	61 Plastic	37	51
12 Helicopter		7	62 Plastic	38	
13 Helicopter		8	63 Plastic	39	
14 Helicopter		9	64 Helicopter		32
15 Helicopter/Plastic	6	10	65 Plastic	40	1 1
16 Plastic	7		66 Plastic	41	
17 Helicopter		11	67 Plastic	42	
18 Helicopter/Plastic	8	12	68 Plastic	43	
19 Plastic	9		69 Plastic	44	
20 Plastic	10		70 Plastic	45	
21 Plastic	11		71 Plastic	46	
22 Plastic	12		72 Plastic	47	
23 Plastic	13		73 Plastic	48	
24 Plastic	14		74 Plastic	49	
25 Plastic	15		75 Plastic	50	
26 Plastic	16		76 Plastic	51	
27 Plastic	17		77 Plastic	52	
28 Helicopter		13	78 Helicopter	52	33
29 Helicopter		14	79 Helicopter/Plastic	53	34
30 Helicopter		15	80 Plastic	54	54
31 Helicopter/Plastic	18	16	81 Plastic	55	· · · · · · · · · · · · · · · · · · ·
32 Plastic	19	10	82 Plastic	56	
33 Helicopter		17	83 Plastic	57	
34 Helicopter/Plastic	20	18	84 Plastic	58	
35 Helicopter/Plastic	20	19	85 Plastic		
36 Helicopter	41	20	86 Plastic	<u> </u>	
37 Plastic	22	20	87 Helicopter/Plastic	61	35
88 Helicopter		21	87 Hencopter/Plastic 88 Plastic	62	50
39 Helicopter/Plastic	23	22	88 Plastic	62	
10 Plastic	23	LL		د0	0.0
1 Plastic	25	23	90 Helicopter		36
2 Plastic	25	23	91 Helicopter	<u> </u>	37
-3 Plastic	20		92 Plastic	64	
4 Plastic			93 Plastic	65	
	28		94 Plastic	66	
5 Helicopter		24	95 Plastic	67	
6 Plastic	29		96 Helicopter		38
7 Helicopter/Plastic	30		97 Plastic	68	
8 Plastic	31		98 Helicopter		39
9 Helicopter		25	99 Helicopter		40

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. <u>67</u> FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURING APPROVAL

C ...

KINZIE INDUSTRIES, INC. POST OFFICE BOX 847 ALVA, OK 73717

NOMENCLATURE AND PART <u>NUMBER</u>	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL <u>MEANS</u>	ELIGIBLE FOR INSTALLATION ON
LWR, INST. PNL P/N K76311-2	PIPER P/N 76311-2	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-140, 180, 235, R200, 181, 151, 161
LWR. INST. PNL P/N K67229-5	PIPER P/N 67229-5	DWG LIST K8-PA28/44, NEW, DTD 12/13/94,PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-180, 235, R180, R200, 140, 181, 151, 161
CVR. FLAP HANDLE P/N K67785-7	PIPER P/N 67785-7	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 12/13/94 OR LATER FAA-APPROVED REVISION	PIPER PA28-180, 235, 181, 151, 161, 140, R200
TRIM-WINDSHIELD P/N K67556-4	PIPER P/N 67556-4	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-161, 181, 235, R201T, R201, 201T, R180, R200, RT201, RT201T, 140, 180, 150, 160, 151, PA44-180, 180T
CVR. FRAME LH FWD P/N K79171-02	PIPER P/N 79171-02	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-180, 235, R200, 140, RT201, RT201T, 181, 161, 236, 201T, 151, R201, R201T, PA44-180, 180T
CVR. WIND. BOW UPPER RH P/N K63149-21	PIPER P/N 63149-21	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-140, 150, 160, 180, 151, 161, 181, 235, 236, R201, R201T, RT201, RT201T, 201T, R180, R200, PA44-180, 180T

Page 1 of 11

NOMENCLATURE AND PART <u>NUMBER</u>	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL <u>MEANS</u>	ELIGIBLE FOR INSTALLATION <u>ON</u>
CVR. WIND. BOW UPPER LH P/N K63149-20	PIPER P/N 63149-20	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-140, 150, 160, 180, 151, 161, 181, 235, 236, R201, R201T, RT201, RT201T, 201T, R180, R200, PA44-180, 180T
CVR. ASSEMBLY P/N K65674-13	PIPER P/N 65674-13	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-151, 180, R200, 235, RT201, RT201T, R180, 181, 161, 140, 150, 160, 151, 236, R201, 201T, R201T
CVR. EXHAUST VENT P/N K99252-10	PIPER P/N 99252-10	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-140, 150, 160, 180, 151, 161, 181, 235, 236, R201, R201T, RT201, RT201T, 201T, R180, R200, PA44-180, 180T
LH LWR INST. PNL P/N K67920-14	PIPER P/N 67920-14	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-RT201, RT201T, R200, 201T, R201T, R201
CVR. FLAP HANDLE P/N K67785-2	PIPER P/N 67785-2	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-180, 235, 181, 161, 151, 140, R200, 236
CVR. FRAME CTR. RH P/N K79171-8	PIPER P/N 79181-8	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-RT201, RT201T, 180, 235, R200, 181, 161, 140, R201, R201T, 236, 201T, 151, PA44-180, 180T
CVRCONSOLE P/N K99927-6	PIPER P/N 99927-6	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-235

(

Ć

Page 2 of 11

NOMENCLATURE AND PART <u>NUMBER</u>	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL <u>MEANS</u>	ELIGIBLE FOR INSTALLATION ON
DUCT VENT BLKHD P/N K76305-00	PIPER P/N 76305-00	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-R201, RT201, RT201T, 201T, R201T, R200, PA44-180, 180T
CVRRH REAR FRAME P/N K79171-9	PIPER P/N 79171-9	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-RT201, RT201T, 180, 235, R200, 140, 181, 161, R201, R201T, 236, 201T, 151, PA44-180, 180T
CVR. FUEL SELECT P/N K99295-10	PIPER P/N 99295-10	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-150, 160, 180, R180, R200, 161, 235
CVR. LH REAR FRAME P/N K79171-10	PIPER P/N 79171-10	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-RT201, RT201T, 180, 235, R200, 140, 181, 161, R201, R201T, 236, 201T, 151, PA44-180, 180T
CVR. FRAME CTR. LH P/N K79171-11	PIPER P/N 79171-11	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-RT201, RT201T, 180, R200, 140, 181, 161, R201, R201T, 236, 201T, 151, 235, PA44-180, 180T
UPPER RH INST. PNL P/N K99959-4	PIPER P/N 99959-4	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-R201, RT201T, 140, 180, R200, 235, 181, R201, R201T, 236, 201T, PA44-180, 180T
CVR. ENGINIE CONTROLS P/N K67232-27	PIPER P/N 67232-27	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-RT201, RT201T, 180, R200, R180, 235. 181. 161, 201T, 236, R201T, R201
INST. PNL LWR LH P/N K66918-16	PIPER P/N 66918-16	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-140, 161, 181, 235, 236, 180
			Page 3 of 11

(

Ć

NOMENCLATURE AND PART <u>NUMBER</u>	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL <u>MEANS</u>	ELIGIBLE FOR INSTALLATION <u>ON</u>
CVR. UPPER LH INST. P/N K79044-4	PIPER P/N 79044-4	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-R200, RT201, RT201T, 140, 180, 235, R200, 181, 161, R201, R201T, 236, 201T, PA44-180
UPPER END CABIN DOOR P/N K79542-2	PIPER P/N 79542-2	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-RT201, RT201T, 140, 235, R200, 181, 161, 201T, 236, R201T, R201, PA44-180, 180T
CVR. FLAP HANDLE P/N K67917-00	PIPER P/N 67917-00	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-RT201, RT201T, R180, R200, 180, R201, R201T, 201T
CONSOLE P/N K67330-10	PIPER P/N 67330-10	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-181, RT201, RT201T, 180, R180, R200, 161, 140, 201T, R201
CVR. LH REAR FRAME P/N K79171-10	PIPER P/N 79171-10	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-RT201, RT201T, 180, 235, 140, 181, 161, R201, R201, R201T, 236, 201T, 151, PA44-180, 180T
CVR. INST. PNL LH P/N K67228-9	PIPER P/N 67228-9	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-181, R201, R201T, RT201, RT201T, 201T, R200, 235, 180, 236, 161, R180, 140
TOP-DUCT DEFROSTER LH P/N K79615-6	PIPER P/N 79615-6	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-RT201, RT201T, 235, 140, R200, 181, 161, 180, 140, 201T, 236, R201T, R201, PA44-180, 180T
TOP-DUCT DEFROSTER RH P/N K79615-7	PIPER P/N 79615-7	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-RT201, RT201T, 235, 140, R200, 181, 161, 180, 140, 201T, 236, R201T, R201, PA44-180, 180T

C

Page 4 of 11

NOMENCLATURE AND PART <u>NUMBER</u>	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL <u>MEANS</u>	ELIGIBLE FOR INSTALLATION ON
PAN-DUCT DEFROSTER LH P/N K79615-4	PIPER P/N 79615-4	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-RT201, RT201T, 235, 140, R200, 181, 161, 180, 140, 201T, 236, R201T, R201, PA44-180, 180T
PAN-DUCT DEFROSTER RH P/N K79615-5	PIPER P/N 79615-5	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-RT201, RT201T, 235, 140, R200, 181, 161, 180, 140, 201T, 236, R201T, R201, PA44-180, 180T
DUCT ASSEMBLY DEFROSTER LH P/N K79615-2	PIPER P/N 79615-2	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-RT201, RT201T, 235, 140, R200, 181, 161, 180, 140, 201T, 236, R201T, R201, PA44-180, 180T
DUCT ASSEMBLY DEFROSTER RH P/N K79615-3	PIPER P/N 79615-3	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-RT201, RT201T, 235, 140, R200, 181, 161, 180, 140, 201T, 236, R201T, R201, PA44-180, 180T
HAT WINDOW TRIM P/N K99998-00	PIPER P/N 99998-00	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-RT201, RT201T, 180, 235, R200, 140, 181, 161, R201, R201T, 236, 201T, 151
PLATE - DIODE MOUNTING P/N K62274-00	PIPER P/N 62274-00	DWG LIST K8-PA28/44, NEW, DTD 12/13/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-RT201, RT201T, 180, 235, R200, 140, 181, 161, R201, R201T, 236, 201T, 151
CVR. INST. PNL P/N K99062-6	PIPER P/N 99062-6	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-140, 161, 181, 201, RT201T, 235, 236, RT201, 201T, 180, R180, R200, PA32-260, 300, R300, RT300, RT300T, R301, R301T, 301, 301T, PA34-200, 200T, 220T, PA44-180, 180T

Page 5 of 11

NOMENCLATURE AND PART <u>NUMBER</u>	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL <u>MEANS</u>	ELIGIBLE FOR INSTALLATION ON
CVR. INST. PNL P/N K69931-3	PIPER P/N 69931-3	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA34-200, 200T, 220T
CVR. INST. PNL P/N K99066-5	PIPER P/N 99066-5	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-181, 180, R180, 235, 140, R200
BATTERY BOX P/N K35202-2	PIPER P/N 35202-2	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-140, 150, 160, 180, R180, R200, 151, 181, 161, R201, R201T, 236, 235, RT201, RT201T, 201T, PA32-R301, R301T, 301, 301T
CVR. INST. PNL P/N K68662-2	PIPER P/N 68662-2	DWG LIST K9/28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA32-260, 300, R300
CVR. INST. PNL P/N K99064-6	PIPER P/N 99064-6	DWG LIST K9/PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA34-200T, 220T, PA32-260, 300, R300, RT300, RT300T, PA28-161, 201T, RT201, RT201T, 181, 180, R180, 235, 140, R200, R201
NECK COMPASS HOUSING P/N K79600-3	PIPER P/N 79600-3	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-140, 161, 181, 235, R201, RT201T, R201T, 151, R200, R180, RT201, 236, 201T, 150, 160, 180, PA32-260, 300, R300, RT300, RT300T, R301, R301T, 301, 301T, PA44-180, 180T, PA34-200, 200T, 220T

Ć

Page 6 of 11

NOMENCLATURE AND PART <u>NUMBER</u>	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL <u>MEANS</u>	ELIGIBLE FOR INSTALLATION ON
CVRINST. PNL P/N K99059-6	PIPER P/N 99059-6	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-140, 161, 181, 235, R201, RT201T, R201T, 151, R200, R180, RT201, 236, 201T, 150, 160, 180, PA32-260, 300, R300, RT300, RT300T, PA34-200T, 220T, PA44-180, 180T
CVR. RH INERTIA REEL P/N K99801-02	PIPER P/N 99801-02	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA32-260, 300, R300, RT300, RT300T, R301, R301T, 301, 301T, PA34-200, 200T, 220T, PA28-181, 161, 180, R200, 235, RT201T, 140, R180, 236, R201, R201T, RT201, 201T
DOOR AFT BLKHD P/N K79445-20	PIPER P/N 79445-20	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA34-200T, 220T, PA32-260, 300, R300, RT300, RT300T, R301, R301T, 301, 301T, PA44-180, 180T, PA28-181, 235, 161, 180, R180, R200, 140, RT201, RT201T, 201T, 236, R201
CUP VENT P/N K65735-8	PIPER P/N 65735-8	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA32-260, 300, R300, RT300, RT300T, R301, R301T, 301, 301T, PA28-181, 161, 150, 160, 180, 235, 140, R180, R200, RT201, RT201T, 151, R201, R201T, 236, 201T
PAN DOOR LATCH P/N K79475-34	PIPER P/N 79475-34	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA34-200T, 220T, PA32-260, 300, R300, RT300, RT300T, R301, 301T, PA28-181, 161, 140, 235, R200, RT201, RT201T, 201T, R201, R201T, 236, PA44-180, 180T

64.C.

Page 7 of 11

NOMENCLATURE AND PART <u>NUMBER</u>	APPROVED REPLACEMENT FOR	FAA DESIGN DATA AND APPROVAL <u>MEANS</u>	ELIGIBLE FOR INSTALLATION ON
CVR-RUDDER PEDAL STOP BRACKET P/N K78735-2	PIPER P/N 78735-2	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA44-180, 180T PA32-260, 300, R300, RT300, RT300T, R301, R301T, 301, 301T, PA28-161, 181, R201, 236, 201T, RT201, RT201T, R201T, 235
BOX-AVIONICS COOLING P/N K79405-00	PIPER P/N 79405-00	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA34-200T, 220T, PA44-180, 180T, PA32-260, 300, R300, RT300, RT300T, R301, R301T, 301, 301T, PA28-140, 161, 181, 236, 235, R200, 201T, RT201, 180, RT201T, R201T, R201
CVR. BATTERY P/N K35201-2	PIPER P/N 35201-2	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-140, 181, R201, 235, 161, RT201, 236, R201T, 201T, RT201T, 150, 160, 180, R180, R200, 151, PA32-301T, 301, R301T, R301
DUCT BLKHD P/N K76308-00	PIPER P/N 76308-00	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA28-161, 181, 235, 236, R201T, 180, RT201T, RT201, R201, PA32-260, 300, R300, RT300, RT300T, PA34-200, 200T, 220T, PA44-180, 180T
CVRFUEL SELECT P/N K69652-12	PIPER P/N 69652-12	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA32-260, 300, R300, RT300, RT300T, R301, R301T, 301, 301T, PA28-235, 150, 160, 180
COVER P/N K79525-00	PIPER P/N 79525-00	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA34-200T, 220T, PA44-180, 180T, PA32-300, R300, 301, 301T, R301, R301T, RT300, RT300T, PA28-161, 181, 236, 201T, RT201,RT201T, R201T, R201

Page 8 of 11

ł

NOMENCLATURE AND PART <u>NUMBER</u>	APPROVED REPLACEMENT <u>FOR</u>	FAA DESIGN DATA AND APPROVAL <u>MEANS</u>	ELIGIBLE FOR INSTALLATION <u>ON</u>
FLANGE AIR VENT P/N K65735-9	PIPER P/N 65735-9	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA32-260, 300, R300, RT300, RT300T, 301T, R301, R301T, 301, PA28-181, 161, 150, 160, 180, 235, 140, R180, R200, RT201, RT201T, R201, R201T, 236, 201T
CVR. INST. PNL P/N K99061-6	PIPER P/N 99061-6	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA32-301, 301T, RT300, 260, 300, R300, RT300T, R301, R301T, PA28-235, 140, 161, 181, R200, RT201, 236, 201T, RT201T, 180, R180, R201, R201T, PA34-200, 200T, 220T, PA44-180, 180T
CVR. INST. PNL P/N K99060-6	PIPER P/N 99060-6	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA32-301, 301T, RT300, R301, R301T, 260, 300, R300, RT300T, PA44-180, 180T, PA34-200, 200T, 220T, PA28-235, 140, 161, 181, R200, RT201, 236, 201T, RT201T, 180, R180, R201
CVR. LH INERTIA REEL P/N K78054-2	PIPER P/N 78054-2	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA34-200, 200T, 220T, PA32-260, 300, R300, R301, R301T, 301T, RT300, RT300T, 301, PA28-181, 161, 180, R180, R200, 235, 140, RT201, RT201T, 236, R201, R201T, 201T
CVR. PITOT STATIC DRAIN P/N K35507-2	PIPER P/N 35507-2	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA34-200T, 220T, PA44-180, 180T, PA32-R301, R301T, 301T, 301, PA28-181, 161, RT201, RT201T, R201, R201T, 201T

n i

Page 9 of 11

NOMENCLATURE AND PART <u>NUMBER</u>	APPROVED REPLACEMENT <u>FOR</u>	FAA DESIGN DATA AND APPROVAL <u>MEANS</u>	ELIGIBLE FOR INSTALLATION <u>ON</u>
BOX - AVIONICS COOLING P/N K79405-2	PIPER P/N 79405-2	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA34-200T, 220T, PA44-180, 180T, PA32-260, 300, R300, 301, 301T, R301, R301T, RT300T, PA28-140, 161, 181, 236, 235, R200, 201T, RT201, RT201T, R201T, R201
CVR - DIODE COOLER P/N K79414-00	PIPER P/N 79414-00	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA32-301T, R301, 301, R301T, PA28-R201, RT201, 161, 236, 201T, RT201T, 181, 161, 140, 180, 235, R200, R201T
CHIMNEY CIRCUIT BREAKER PNL P/N K37386-0	PIPER P/N 37386-0	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA34-200T, 220T, PA44-180, 180T
SEAT BACK P/N K78041-4	PIPER P/N 78041-4	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA34-200, 200T, 220T, PA32-260, 300, R300, RT300, RT300T, R301, R301T, 301, 301T, PA28-181, 161, 140, 150, 160, 180, 235, R180, R200, RT201, RT201T, 151, R201, R201T, 236, 201T, PA44-180, 180T
INTERCONNECT DUCT P/N K79192-00	PIPER P/N 79192-00	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA34-200, 200T, 220T, PA32-260, 300, R300, PA44-180, 180T, PA28-181, 140, 180, 235, R200, RT201, RT201T, 236, R201, R201T, 201T

Page 10 of 11

NOMENCLATURE AND PART <u>NUMBER</u>	APPROVED REPLACEMENT <u>FOR</u>	FAA DESIGN DATA AND APPROVAL <u>MEANS</u>	ELIGIBLE FOR INSTALLATION <u>ON</u>
LH SIDE INTERCONNECT DUCT P/N K79192-2	PIPER P/N 79192-2	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA34-200, 200T, 220T, PA32-260, 300, R300, PA44-180, 180T, PA28-181, 140, 180, 235, R200, RT201, RT201T, 236, R201, R201T, 201T
RH SIDE INTERCONNECT DUCT P/N K79192-3	PIPER P/N 79192-3	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA34-200, 200T, 220T, PA32-260, 300, R300, PA44-180, 180T, PA28-181, 140, 180, 235, R200, RT201, RT201T, 236, R201, R201T, 201T
CVR-ENGINE CONTROLS P/N K95808-8	PIPER P/N 95808-8	DWG LIST K9-PA28/32/34/44, NEW, DTD 12/14/94, PER FAA MEMO DTD 1/17/95 OR LATER FAA-APPROVED REVISION	PIPER PA34-200T, 220T, PA44-180, 180T

(END OF LISTING)

Manella. Freeman

Manager, Oklahoma City Manufacturing Inspection District Office

2 7 1995 DATE: APR

This supplement is an attachment to FAA-PMA letter dated March 2, 1976.

Page 11 of 11